



# International Journal of Innovative Technologies in Social Science

e-ISSN: 2544-9435

**Operating Publisher**  
**SciFormat Publishing Inc.**  
ISNI: 0000 0005 1449 8214

2734 17 Avenue SW,  
Calgary, Alberta, T3E0A7,  
Canada  
+15878858911  
editorial-office@sciformat.ca

---

|                      |                                                                                                                             |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>ARTICLE TITLE</b> | PROBLEMATIC SMARTPHONE USE AND ITS IMPACT ON MENTAL HEALTH, PHYSICAL WELL-BEING, AND SOCIAL FUNCTIONING: A NARRATIVE REVIEW |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------|

---

|            |                                                                                                               |
|------------|---------------------------------------------------------------------------------------------------------------|
| <b>DOI</b> | <a href="https://doi.org/10.31435/ijitss.3(51).2026.6242">https://doi.org/10.31435/ijitss.3(51).2026.6242</a> |
|------------|---------------------------------------------------------------------------------------------------------------|

---

|                 |              |
|-----------------|--------------|
| <b>RECEIVED</b> | 20 July 2026 |
|-----------------|--------------|

---

|                 |                   |
|-----------------|-------------------|
| <b>ACCEPTED</b> | 17 September 2026 |
|-----------------|-------------------|

---

|                  |                   |
|------------------|-------------------|
| <b>PUBLISHED</b> | 24 September 2026 |
|------------------|-------------------|

---

**LICENSE**



The article is licensed under a **Creative Commons Attribution 4.0 International License**.

---

© The author(s) 2026.

This article is published as open access under the Creative Commons Attribution 4.0 International License (CC BY 4.0), allowing the author to retain copyright. The CC BY 4.0 License permits the content to be copied, adapted, displayed, distributed, republished, or reused for any purpose, including adaptation and commercial use, as long as proper attribution is provided.

# PROBLEMATIC SMARTPHONE USE AND ITS IMPACT ON MENTAL HEALTH, PHYSICAL WELL-BEING, AND SOCIAL FUNCTIONING: A NARRATIVE REVIEW

**Mateusz Skowron** (Corresponding Author, Email: [skowron.mateusz1998@gmail.com](mailto:skowron.mateusz1998@gmail.com))

Primary Healthcare Center in Kęty, Kęty, Poland

ORCID ID: 0009-0002-1944-1415

**Wiktoria Skowron**

John Paul II County Hospital in Wadowice, Wadowice, Poland

ORCID ID: 0009-0004-1674-6082

**Monika Łapot**

COPERNICUS PL Sp. z o.o., St. Adalbert Hospital, Jana Pawła II Avenue 50, 80-462 Gdańsk, Poland

ORCID ID: 0009-0004-6554-9683

**Krzysztof Hober**

Healthcare Center in Olesno, Olesno, Poland

ORCID ID: 0009-0005-9280-3664

**Dominika Krupnik**

Clinical Hospital No. 1 in Zabrze, Zabrze, Poland

ORCID ID: 0009-0003-7560-4546

**Wiktoria Bzdak**

Medical University of Białystok, Jana Kilinskiego 1, 15-089 Białystok, Poland

ORCID ID: 0009-0002-7183-4769

**Patrycja Szewińska**

Friedrich Lange County Hospital in Nowe Miasto Lubawskie, Mickiewicza 10, 13-300 Nowe Miasto Lubawskie, Poland

ORCID ID: 0009-0007-2145-3358

**Joanna Górak**

COPERNICUS PL Sp. z o.o., St. Adalbert Hospital, Jana Pawła II Avenue 50, 80-462 Gdańsk, Poland

ORCID ID: 0009-0006-5536-8269

**Wojciech Neumann**

Non-public Healthcare Center Euromedica, Grudziądz, Poland

ORCID ID: 0009-0009-9483-0868

**ABSTRACT**

**Introduction:** Problematic smartphone use (PSU), often referred to as smartphone addiction, has emerged as a growing public health and social concern in the digital era. The widespread availability of smartphones has transformed communication, education, and access to information; however, excessive and uncontrolled use has been associated with numerous adverse psychological, physical, social, and academic outcomes. The increasing prevalence of PSU, particularly among adolescents and young adults, has attracted significant attention from researchers, healthcare professionals, and policymakers.

**Purpose of the Study:** The aim of this narrative review is to provide a comprehensive overview of problematic smartphone use, including its epidemiology, risk factors, neurobiological mechanisms, assessment methods, mental and physical health consequences, social and educational impacts, and current prevention and intervention strategies.

**Description of the State of Knowledge:** Problematic smartphone use is characterized by excessive, compulsive, and difficult-to-control engagement with smartphones, often resulting in impaired daily functioning. Epidemiological studies indicate considerable variation in prevalence rates across populations and regions, with adolescents and young adults representing the most vulnerable groups. Multiple risk factors have been identified, including intensive social media use, gaming, fear of missing out (FOMO), psychological distress, loneliness, poor self-regulation, and excessive screen exposure. Current evidence suggests significant associations between PSU and depression, anxiety, stress, sleep disturbances, reduced quality of life, impaired academic achievement, and social difficulties. Physical health consequences include musculoskeletal complaints, headaches, visual fatigue, sedentary behavior, and sleep-related problems. Recent studies have also highlighted the importance of digital well-being tools, educational programs, family-based approaches, and cognitive-behavioral interventions in promoting healthier smartphone use habits.

**Conclusion:** Problematic smartphone use represents a complex and multifactorial phenomenon with important implications for mental health, physical well-being, social functioning, and academic performance. Greater awareness, early preventive measures, and evidence-based intervention strategies may help reduce its negative consequences. Future research should focus on longitudinal studies, standardized assessment methods, and the development of effective prevention and treatment approaches.

---

**KEYWORDS**

Problematic Smartphone Use, Smartphone Addiction, Mental Health, Adolescents, Social Media, Digital Well-being

---

**CITATION**

Skowron, M., Skowron, W., Łapot, M., Hober, K., Krupnik, D., Bzdak, W., Szwemińska, P., Górak, J., & Neumann, W. (2026). Problematic smartphone use and its impact on mental health, physical well-being, and social functioning: A narrative review. *International Journal of Innovative Technologies in Social Science*, 3(51). [https://doi.org/10.31435/ijitss.3\(51\).2026.6242](https://doi.org/10.31435/ijitss.3(51).2026.6242)

---

**COPYRIGHT**

© **The author(s) 2026.** This article is published as open access under the Creative Commons Attribution 4.0 International License (CC BY 4.0), allowing the author to retain copyright. The CC BY 4.0 License permits the content to be copied, adapted, displayed, distributed, republished, or reused for any purpose, including adaptation and commercial use, as long as proper attribution is provided.

---

**Introduction**

The rapid development of digital technologies has substantially transformed communication, education, healthcare, and everyday social interactions. Smartphones are now widely used by children and adolescents for communication, education, entertainment, and social engagement. As digital media have become increasingly integrated into daily life, concerns have emerged regarding the potential impact of excessive technology use on physical, psychological, and social well-being. Although digital technologies provide important educational, informational, and social benefits, excessive media use has been associated with adverse effects on sleep, physical health, academic performance, and psychosocial functioning among children and adolescents (Council on Communications and Media, 2016).

Despite these benefits, concerns have emerged regarding excessive and uncontrolled smartphone use. Problematic smartphone use (PSU), also referred to as smartphone addiction or smartphone overuse, describes a pattern of excessive smartphone engagement associated with impaired self-control and negative consequences in daily functioning (Busch & McCarthy, 2021). Although PSU is not currently recognized as a formal psychiatric diagnosis, it has been suggested to share several characteristics with behavioral addictions, including compulsive use, difficulty reducing use, excessive preoccupation, and continued engagement despite negative consequences (Elhai et al., 2017).

Evidence from a systematic review and meta-analysis indicates that problematic smartphone use is associated with depression, anxiety, increased perceived stress, and sleep-related problems among children and young people (Sohn et al., 2019). The growing integration of smartphones into educational environments and social relationships has further intensified concerns regarding excessive screen exposure and its potential impact on psychological well-being.

The relationship between problematic smartphone use and mental health appears to be potentially bidirectional. Excessive smartphone use may contribute to psychological distress through disrupted sleep, excessive social comparison, and maladaptive patterns of digital engagement. Conversely, individuals experiencing anxiety, depression, stress, or loneliness may increasingly rely on smartphones as a coping strategy, potentially creating a self-reinforcing cycle of excessive use and worsening mental health symptoms. Previous research has consistently reported associations between problematic smartphone use and depression, anxiety, stress, emotional dysregulation, and reduced quality of life (Sohn et al., 2019; Busch & McCarthy, 2021).

Beyond mental health consequences, problematic smartphone use has also been associated with various physical and social outcomes. Previous studies have reported associations with sleep disturbances, reduced physical activity, academic difficulties, impaired interpersonal relationships, and diminished social functioning (Sohn et al., 2019; Busch & McCarthy, 2021). Given the widespread prevalence of smartphone use and the increasing dependence on digital technologies in modern society, problematic smartphone use represents an important and growing public health concern.

The aim of this narrative review is to summarize current evidence regarding problematic smartphone use, including its epidemiology, risk factors, mental and physical health consequences, social and educational implications, and available prevention and intervention strategies.

## **Materials and Methods**

This narrative review was conducted to summarize current evidence regarding problematic smartphone use (PSU) and its impact on mental health, physical well-being, social functioning, and academic performance. A comprehensive literature search was performed using the PubMed, Scopus, Web of Science, and Google Scholar databases. Publications published between January 2013 and December 2024 were considered for inclusion.

The search strategy incorporated combinations of the following keywords: "smartphone addiction", "problematic smartphone use", "mobile phone addiction", "mental health", "depression", "anxiety", "sleep disturbances", "social media", "academic performance", "physical health", and "digital technology". Additional relevant studies were identified through manual screening of the reference lists of selected articles.

Priority was given to systematic reviews, meta-analyses, longitudinal studies, narrative reviews, and large observational studies examining the epidemiology, risk factors, neurobiological mechanisms, health consequences, and intervention strategies related to problematic smartphone use. Only articles published in English were included. Studies focusing exclusively on internet addiction or gaming addiction without specific reference to smartphone use were excluded.

The collected literature was analyzed and synthesized to provide a comprehensive overview of current knowledge regarding problematic smartphone use and its implications for individuals and society.

## **Assessment and Diagnosis of Problematic Smartphone Use**

The assessment and diagnosis of problematic smartphone use (PSU) remain challenging due to the absence of universally accepted diagnostic criteria. Unlike substance use disorders or gambling disorder, PSU is not currently recognized as a formal psychiatric diagnosis in either the Diagnostic and Statistical Manual of Mental Disorders (DSM-5-TR) or the International Classification of Diseases (ICD-11). Consequently, researchers have developed a variety of assessment instruments to evaluate problematic smartphone-related behaviors, resulting in substantial heterogeneity across studies (Busch & McCarthy, 2021).

Most assessment tools conceptualize PSU as a pattern of excessive and difficult-to-control smartphone use characterized by impaired daily functioning, preoccupation with smartphone-related activities, loss of control over use, and continued engagement despite negative consequences. These characteristics resemble those observed in other behavioral addictions and have guided the development of several standardized screening instruments (Busch & McCarthy, 2021).

Among the most widely used assessment instruments is the Smartphone Addiction Scale (SAS), developed to assess multiple dimensions of problematic smartphone use, including daily-life disturbance,

positive anticipation, withdrawal, cyberspace-oriented relationships, overuse, and tolerance. A shorter version, the Smartphone Addiction Scale–Short Version (SAS-SV), has been extensively used in both adolescent and adult populations due to its practicality and favorable psychometric properties (Kwon et al., 2013a; Kwon et al., 2013b).

Other commonly used assessment instruments include the Smartphone Addiction Inventory (SPAI), the Mobile Phone Problem Use Scale (MPPUS), and the Problematic Mobile Phone Use Questionnaire (PMPUQ). Although these tools assess related dimensions of problematic smartphone behavior, differences in conceptual frameworks, scoring procedures, and cutoff thresholds contribute to substantial variability in prevalence estimates reported across studies (Busch & McCarthy, 2021).

An important challenge in the assessment of PSU is the lack of consensus regarding diagnostic thresholds. High-frequency smartphone use alone is insufficient to establish problematic smartphone use, particularly given the central role smartphones play in education, communication, work, and access to information. Therefore, contemporary researchers increasingly emphasize that problematic use should be defined primarily by functional impairment, psychological distress, and loss of behavioral control rather than by screen time alone (Montag et al., 2020).

Recent research has also highlighted the importance of distinguishing problematic smartphone use from problematic engagement with specific online activities. Some authors argue that excessive use of social networking platforms, online gaming, video streaming services, or instant messaging applications may represent the primary source of problematic behavior rather than the smartphone itself. This perspective has important implications for both assessment and intervention strategies and may explain some inconsistencies observed across studies (Montag et al., 2020).

The absence of standardized diagnostic criteria and the use of diverse assessment instruments have contributed to substantial variation in reported prevalence rates worldwide. Among children and adolescents, prevalence estimates have ranged from approximately 5% to 50%, reflecting considerable methodological heterogeneity across studies (Fischer-Grote et al., 2021).

Despite ongoing methodological challenges, standardized assessment instruments have facilitated the identification of individuals at risk of problematic smartphone use. However, further efforts are needed to establish consensus regarding diagnostic criteria and to improve the comparability of findings across studies. Future research should focus on validating assessment tools across diverse populations and distinguishing problematic smartphone use from excessive engagement with specific digital activities. Such efforts may contribute to a more accurate understanding of PSU and support the development of evidence-based prevention and intervention strategies.

## **Epidemiology of Problematic Smartphone Use**

The widespread adoption of smartphones has significantly transformed communication, education, entertainment, and everyday functioning. Over the last decade, smartphone ownership has increased rapidly across all age groups, making smartphones an integral component of modern life. While these devices offer numerous benefits, concerns regarding excessive and uncontrolled use have led to increasing recognition of problematic smartphone use (PSU) as an emerging public health issue (Busch & McCarthy, 2021).

The prevalence of problematic smartphone use varies considerably across studies due to differences in assessment instruments, diagnostic thresholds, study populations, and methodological approaches. Nevertheless, available evidence suggests that PSU is common among children and young people worldwide. A recent systematic review and meta-analysis estimated a median prevalence of 23.3%, indicating that a substantial proportion of young people may experience problematic patterns of smartphone use (Sohn et al., 2019). Similar prevalence estimates have been reported in subsequent studies, reinforcing concerns about the growing public health significance of PSU. Given the widespread integration of smartphones into everyday life, excessive and poorly controlled smartphone use may contribute to a range of psychological, behavioral, social, and educational difficulties. Consequently, PSU has attracted increasing attention from researchers, healthcare professionals, educators, and policymakers seeking to better understand its determinants, consequences, and potential prevention strategies.

Adolescents and young adults represent the population most vulnerable to problematic smartphone use. This increased susceptibility may be explained by developmental factors, including heightened sensitivity to social rewards, peer influence, and novelty-seeking behavior. Smartphones play a central role in

communication, entertainment, and social networking within these age groups, contributing to prolonged daily screen exposure and increased risk of excessive use (Busch & McCarthy, 2021).

Geographical differences in prevalence have also been reported. Several studies have demonstrated higher prevalence rates in Asian countries, particularly South Korea, China, and India, compared with many Western populations. These differences may reflect variations in technology adoption, cultural norms, educational pressures, and patterns of social media engagement (Sohn et al., 2019).

The COVID-19 pandemic further intensified concerns regarding problematic smartphone use. Remote education, social distancing measures, and increased reliance on digital communication were associated with substantial increases in daily screen time, particularly among adolescents and young adults (Wacks & Weinstein, 2021).

Although some studies suggest that females may be more likely to develop problematic smartphone use due to greater engagement with social networking platforms, while males may demonstrate higher smartphone use related to gaming activities, findings remain inconsistent. Current evidence indicates that both sexes are vulnerable to PSU, and further research is required to clarify potential gender-related differences.

Overall, problematic smartphone use represents a prevalent and growing behavioral phenomenon with important implications for public health. Evidence suggests that approximately one in four children and young people may experience problematic patterns of smartphone use, highlighting the need for continued epidemiological surveillance and preventive strategies. Identifying vulnerable populations and monitoring emerging trends may support the development of effective interventions aimed at reducing the psychological, educational, and social consequences associated with PSU.

## **Risk Factors Associated with Problematic Smartphone Use**

### **Age and Social Media Use**

Adolescents and young adults are the groups most vulnerable to problematic smartphone use (PSU). Increased sensitivity to peer influence, social rewards, and online interactions may contribute to excessive smartphone engagement. Social media platforms such as Instagram, TikTok, Facebook, and Snapchat have been consistently associated with higher levels of smartphone dependency and compulsive checking behaviors (Sohn et al., 2019; Busch & McCarthy, 2021).

### **Fear of Missing Out (FOMO)**

One of the most important psychological mechanisms underlying PSU is the Fear of Missing Out (FOMO), defined as the concern that others may be having rewarding experiences without one's participation. Individuals with higher FOMO levels tend to check smartphones more frequently and spend more time on social media platforms, increasing the risk of problematic use (Przybylski et al., 2013).

### **Psychological Factors**

Depression, anxiety, and stress may increase vulnerability to PSU. Individuals experiencing psychological distress may increasingly rely on smartphones as a coping strategy or source of reassurance, potentially contributing to maladaptive patterns of excessive use and reinforcing problematic usage behaviors (Elhai et al., 2017). Adolescents experiencing symptoms of depression, anxiety, or loneliness may use smartphones and social media platforms to seek reassurance, social connection, or distraction from negative emotions, potentially reinforcing problematic patterns of use (Keles et al., 2020).

### **Environmental and Technological Factors**

Environmental influences such as peer behavior, family habits, and academic pressure may contribute to problematic smartphone use. In addition, smartphone applications frequently employ persuasive design features, including push notifications, infinite scrolling, and personalized content recommendations, which are designed to maximize user engagement and may reinforce excessive usage patterns (Busch & McCarthy, 2021).

## **Neurobiology and Mechanisms of Problematic Smartphone Use**

Problematic smartphone use (PSU) is increasingly conceptualized as a behavioral addiction that shares several neurobiological and psychological characteristics with other addictive behaviors. Although PSU is not formally recognized as a psychiatric disorder in major diagnostic classifications, growing evidence suggests that excessive smartphone use may involve disturbances in self-regulation, compulsive behavioral patterns, and maladaptive responses to rewarding digital stimuli (Busch & McCarthy, 2021).

One of the proposed mechanisms underlying problematic smartphone use involves activation of neural reward systems associated with reinforcement learning and reward-seeking behaviors. Smartphone-related activities, including social media engagement, instant messaging, online gaming, and content consumption, provide frequent and unpredictable rewards that stimulate dopaminergic pathways associated with pleasure and reinforcement. Similar to other behavioral addictions, repeated exposure to rewarding digital stimuli may strengthen habitual smartphone-checking behaviors and increase compulsive use over time (Montag et al., 2020).

Social media platforms appear to play a particularly important role in reinforcing smartphone-related behaviors. Features such as “likes,” comments, notifications, and social approval provide intermittent positive reinforcement that encourages repeated engagement. Variable reward schedules, similar to those observed in gambling behaviors, may contribute to persistent smartphone checking even in the absence of meaningful notifications or new content (Montag et al., 2020). Importantly, recent authors have argued that problematic smartphone use may be driven less by the smartphone itself and more by excessive engagement with specific online activities, including social networking, instant messaging, gaming, and content consumption (Montag et al., 2020).

FOMO may also contribute to reward-seeking smartphone behaviors and reinforce repetitive smartphone-checking patterns, particularly in social media environments where users continuously monitor digital platforms to remain socially connected and informed (Przybylski et al., 2013).

Deficits in self-regulation and impulse control have also been associated with problematic smartphone use. Several studies have reported that individuals with PSU frequently exhibit higher levels of impulsivity, emotional dysregulation, and difficulties delaying gratification. Smartphones provide immediate access to rewarding content, which may encourage habitual use patterns and reduce the ability to disengage from digital activities (Busch & McCarthy, 2021).

Psychological distress may further contribute to the development of problematic smartphone use. Individuals experiencing anxiety, depression, loneliness, or stress may increasingly rely on smartphones as a coping mechanism (Busch & McCarthy, 2021). Although smartphone use may temporarily reduce negative emotions, excessive dependence on digital interactions may ultimately exacerbate psychological difficulties and contribute to a cycle of continued overuse.

Taken together, current evidence suggests that problematic smartphone use results from complex interactions among reward-related behavioral mechanisms, psychological vulnerabilities, social influences, and environmental factors. Understanding these mechanisms may help inform the development of more effective prevention strategies and targeted interventions aimed at promoting healthier technology use.

## **Impact of Problematic Smartphone Use on Mental Health**

### **Depression and Anxiety**

Depression and anxiety are among the most consistently reported psychological correlates of problematic smartphone use (PSU). Evidence from systematic reviews indicates that excessive smartphone use is associated with higher levels of depressive symptoms, anxiety, and psychological distress. These findings suggest that problematic smartphone use may represent an important marker of mental health vulnerability among adolescents and young adults (Sohn et al., 2019; Elhai et al., 2017). Prospective studies indicate that adolescents who increase their screen use over time are more likely to experience worsening symptoms of anxiety and depression, reinforcing concerns regarding excessive smartphone and digital media engagement (Mougharbel et al., 2023).

### **Sleep Disturbances**

Sleep problems represent one of the most consistently reported consequences of problematic smartphone use. Higher levels of smartphone use have been associated with poorer sleep quality, greater sleep disturbances, and increased daytime dysfunction. These effects may be mediated by multiple behavioral and physiological mechanisms, including nighttime media use and disrupted sleep habits (Demirci et al., 2015). Recent review evidence has further demonstrated that excessive smartphone use is associated with poorer sleep quality, shorter sleep duration, and increased daytime sleepiness among adolescents and young adults. Sleep disturbances appear to represent one of the most consistently reported health consequences of problematic smartphone use (Wacks & Weinstein, 2021).

### **Stress and Emotional Well-Being**

Individuals with problematic smartphone use frequently report higher levels of perceived stress. Evidence from systematic reviews suggests a significant association between problematic smartphone use and psychological distress, although the direction of this relationship remains complex and potentially bidirectional (Elhai et al., 2017). Social media engagement may contribute to emotional distress through mechanisms such as cyberbullying, social comparison, and disrupted sleep patterns, all of which have been associated with poorer mental health outcomes among adolescents (Keles et al., 2020).

### **Self-Esteem**

Excessive engagement with social media platforms may promote social comparison and negatively influence self-esteem. Exposure to idealized representations of others' lives has been associated with more frequent upward social comparisons, which may contribute to lower self-esteem and poorer psychological well-being among users of social networking platforms (Vogel et al., 2014).

## **Physical Health Consequences**

### **Musculoskeletal Complaints**

Excessive smartphone use has been associated with various musculoskeletal complaints, particularly neck, shoulder, and upper back pain. Prolonged forward head flexion during smartphone use, commonly referred to as “text neck syndrome,” may increase mechanical stress on the cervical spine, contributing to musculoskeletal pain, postural alterations, and cervical dysfunction in children and adolescents (David et al., 2021).

### **Headaches and Visual Fatigue**

Prolonged smartphone use has been associated with various visual symptoms, including eye strain, dry eyes, blurred vision, and headaches. Sustained visual attention to nearby screens, reduced blinking frequency, and extended exposure to digital displays may contribute to the development of digital eye strain, particularly among children and adolescents (David et al., 2021). In addition to visual complaints, recent population-based research has demonstrated that individuals with higher levels of smartphone use disorder report more frequent headaches and sleep-related symptoms, further supporting the association between excessive smartphone use and physical health complaints (Reer et al., 2022).

### **Sedentary Behavior and Obesity Risk**

Problematic smartphone use is frequently associated with sedentary behavior and reduced physical activity. Excessive screen time may replace participation in sports, outdoor activities, and exercise. Consequently, PSU may indirectly contribute to weight gain, obesity, and other adverse metabolic outcomes, particularly among adolescents and young adults (Busch & McCarthy, 2021). Recent research has further supported the association between problematic smartphone use and reduced physical activity among adolescents and young adults. Individuals with higher levels of PSU were more likely to report symptoms of depression, anxiety, and lower engagement in health-promoting behaviors, suggesting that problematic smartphone use may negatively influence both physical and psychological well-being (Mayerhofer et al., 2024).

### **Physical Symptoms and Mental Health Interactions**

Recent evidence further supports the association between problematic smartphone use and a broad range of physical health complaints. In a large population-based study involving 938 smartphone users, higher levels of smartphone use disorder were associated with more frequent headaches, sleep disturbances, and gastrointestinal symptoms. Moreover, symptoms of depression, anxiety, and stress partially mediated the relationship between problematic smartphone use and physical health complaints, suggesting a complex interaction between psychological and somatic outcomes (Reer et al., 2022).

### **Psychological and Quality-of-Life Outcomes**

Problematic smartphone use (PSU) has been increasingly associated with a broad range of psychological and psychosocial consequences among children and adolescents. While smartphones provide important opportunities for communication, education, and social interaction, excessive or maladaptive use may negatively affect emotional well-being, mental health, and overall quality of life (Sohn et al., 2019; Busch & McCarthy, 2021).

Several mechanisms may explain these associations. Excessive smartphone use may contribute to emotional distress through increased social comparison, exposure to cyberbullying, disrupted sleep patterns, and reduced face-to-face social interactions. Evidence from a systematic review further suggests that social media engagement may negatively affect adolescent mental health through similar pathways, particularly cyberbullying, social comparison, and sleep disruption (Keles et al., 2020). Conversely, adolescents experiencing anxiety, loneliness, or depressive symptoms may use smartphones more frequently as a coping strategy, suggesting a potentially bidirectional relationship between problematic smartphone use and mental health difficulties (Busch & McCarthy, 2021).

Self-esteem and emotional well-being may also be negatively affected by problematic smartphone use. Frequent exposure to idealized online content may increase vulnerability to feelings of inadequacy and dissatisfaction, particularly among adolescents who are already experiencing emotional difficulties (Busch & McCarthy, 2021).

Quality-of-life assessments have similarly demonstrated adverse effects associated with problematic smartphone use. Excessive smartphone engagement has been linked to poorer physical well-being, reduced social functioning, diminished academic performance, and lower overall life satisfaction (Sohn et al., 2019; Fischer-Grote et al., 2021). These consequences may be particularly relevant during adolescence, a developmental period characterized by significant psychological, social, and educational challenges.

Sleep disturbances may partially mediate the relationship between PSU and reduced quality of life. Late-night smartphone use, exposure to blue light, and persistent engagement with digital content may delay sleep onset, reduce sleep duration, and impair sleep quality. Poor sleep has subsequently been associated with reduced academic performance, impaired emotional regulation, and increased risk of mental health problems (Sohn et al., 2019; Busch & McCarthy, 2021).

Despite these concerns, it is important to recognize that smartphones themselves are not inherently harmful. The impact of smartphone use depends largely on usage patterns, content consumed, individual vulnerabilities, and environmental factors. Moderate and purposeful smartphone use may provide educational benefits, facilitate social connectedness, and support access to health information. Therefore, contemporary research increasingly focuses on distinguishing healthy digital engagement from problematic and compulsive patterns of use.

Taken together, current evidence suggests that problematic smartphone use may adversely affect multiple dimensions of psychological health and quality of life among children and adolescents. These findings highlight the importance of early identification, preventive interventions, and balanced digital habits to promote healthy technology use and support adolescent well-being.

## Social and Educational Consequences

### Academic Performance

Problematic smartphone use has been associated with reduced academic performance, particularly among adolescents and university students. Frequent smartphone checking, social media engagement, and multitasking behaviors may impair concentration, learning efficiency, and time management. Several mechanisms have been proposed to explain this relationship, including increased distraction, procrastination, and reduced study time. A systematic review and meta-analysis including 29 studies and 48,490 participants demonstrated a significant negative association between problematic smartphone use and academic achievement. Although the observed effect size was relatively small, the findings consistently indicated that higher levels of PSU were associated with poorer educational outcomes. These findings suggest that problematic smartphone use may represent an important modifiable factor influencing academic success among students (Paterna et al., 2024). Beyond academic achievement, smartphone-related behaviors may also affect cognitive functioning. Frequent smartphone interruptions, media multitasking, and constant connectivity have been associated with difficulties in attention regulation, working memory, and executive functioning. These cognitive effects may contribute to reduced learning efficiency and increased susceptibility to distraction during educational activities (Wilmer et al., 2017).

### Interpersonal Relationships and Phubbing

Although smartphones facilitate communication, excessive use may negatively affect face-to-face interactions. A phenomenon known as “phubbing,” defined as ignoring others during social interactions in favor of smartphone use, has been associated with poorer perceived communication quality, lower relationship satisfaction, and reduced feelings of social connectedness (Chotpitayasunondh & Douglas, 2018).

### Social Isolation and Loneliness

Paradoxically, excessive smartphone use may contribute to feelings of loneliness and social disconnection despite providing continuous access to communication platforms. Emerging evidence suggests that excessive engagement with digital technologies may be associated with poorer social well-being and increased reliance on online social interactions. Furthermore, social comparison on social networking platforms has been associated with lower self-esteem and poorer psychological well-being (Vogel et al., 2014; Busch & McCarthy, 2021).

## Prevention and Intervention Strategies

### Digital Well-Being Tools

Many smartphones now include built-in digital well-being features that allow users to monitor screen time, set application limits, and reduce notifications. These tools may increase awareness of smartphone-related behaviors and support healthier technology use. Although such tools are unlikely to be sufficient as stand-alone interventions, they may be useful as part of broader self-regulation strategies aimed at reducing compulsive checking and improving control over smartphone use.

### Cognitive Behavioral Therapy

Cognitive Behavioral Therapy (CBT) has been widely applied in the treatment of behavioral addictions. The CBT-IA model proposed by Young focuses on behavioral modification, cognitive restructuring, and the development of healthier coping strategies to reduce compulsive online behaviors and improve self-regulation (Young, 2011).

### Educational Interventions

Educational programs promoting digital literacy and responsible smartphone use may help reduce excessive screen time among children and adolescents. School-based interventions can increase awareness of the potential psychological, physical, and academic consequences of problematic smartphone use. These programs may also teach practical strategies such as limiting nighttime smartphone use, reducing non-essential notifications, scheduling device-free periods, and maintaining offline social and physical activities.

### **Family-Based Approaches**

Family involvement plays an important role in preventing problematic smartphone use. Parental monitoring, clear rules regarding smartphone use, and encouragement of offline activities have been associated with lower levels of smartphone-related problems among adolescents (Busch & McCarthy, 2021). Importantly, family-based approaches should emphasize communication and shared rule-setting rather than restrictive control alone. Parents and caregivers may also influence smartphone habits through role modeling, including limiting their own excessive device use during family interactions.

Overall, current evidence suggests that a combination of educational, psychological, technological, and family-based approaches is most effective in promoting healthy smartphone habits and reducing the risk of problematic use. Prevention strategies should focus not on eliminating smartphone use, but on supporting balanced, purposeful, and developmentally appropriate engagement with digital technologies.

### **Limitations of Current Evidence**

Despite the rapidly growing body of literature on problematic smartphone use (PSU), several important limitations should be considered when interpreting current findings. Although numerous studies have demonstrated associations between PSU and adverse psychological, physical, social, and academic outcomes, significant methodological challenges remain.

First, the majority of available studies are cross-sectional in nature, limiting the ability to establish causal relationships. While problematic smartphone use has been consistently associated with depression, anxiety, sleep disturbances, and reduced well-being, it remains unclear whether excessive smartphone use contributes directly to these outcomes or whether individuals experiencing psychological difficulties are more likely to engage in problematic smartphone-related behaviors. Although prospective evidence remains limited, recent longitudinal studies suggest that increases in problematic smartphone use and screen exposure over time may be associated with worsening symptoms of anxiety, depression, and sleep disturbances among adolescents (Carter et al., 2024; Mougharbel et al., 2023). Consequently, the directionality of these associations remains uncertain, highlighting the need for additional longitudinal research examining the long-term effects of problematic smartphone use.

Second, substantial heterogeneity exists across studies regarding the definition and assessment of problematic smartphone use. Researchers employ a variety of screening instruments, theoretical frameworks, and cutoff values, making direct comparisons difficult. As a result, reported prevalence rates vary considerably between populations and studies, complicating efforts to establish standardized diagnostic criteria and evidence-based recommendations (Fischer-Grote et al., 2021).

Another important limitation involves the widespread reliance on self-reported measures. Most studies assess smartphone use through questionnaires and participant estimates rather than objective monitoring tools. Self-reported data may be affected by recall bias, social desirability bias, and inaccurate reporting of actual smartphone behaviors. Future studies should increasingly incorporate objective usage data obtained through digital tracking technologies to improve measurement accuracy (Wacks & Weinstein, 2021).

Furthermore, much of the current evidence is derived from studies conducted among adolescents and young adults. Although these populations are considered particularly vulnerable to problematic smartphone use, relatively little research has examined PSU among younger children, middle-aged adults, and older individuals. Consequently, the generalizability of existing findings across the lifespan remains limited and requires further investigation (Fischer-Grote et al., 2021).

Research examining educational outcomes demonstrates similar methodological challenges. A recent systematic review and meta-analysis identified considerable variability in study designs, outcome measures, and definitions of problematic smartphone use, which may influence the observed relationship between PSU and academic achievement (Paterna et al., 2024).

The rapid evolution of digital technologies also presents a significant challenge. Social media platforms, smartphone applications, and patterns of digital engagement continue to evolve rapidly, potentially limiting the long-term applicability of findings derived from older studies.

Finally, increasing evidence suggests that problematic smartphone use may not represent a unitary behavioral construct. Instead, problematic engagement with specific digital activities—including social networking, gaming, video streaming, and instant messaging—may contribute differently to adverse outcomes. Future research should therefore move beyond overall smartphone use and investigate the relative impact of individual digital behaviors on mental health and well-being (Montag et al., 2020).

Taken together, these limitations highlight the need for more longitudinal studies, objective measurement methods, greater methodological standardization, and improved conceptual clarity. Addressing these challenges will be essential for advancing knowledge regarding problematic smartphone use and developing evidence-based prevention and intervention strategies.

## **Future Perspectives**

As digital technologies continue to evolve, problematic smartphone use is expected to remain an important public health challenge. Future research should focus on clarifying the long-term effects of excessive smartphone use on mental health, cognitive functioning, and social development, particularly among children and adolescents.

Emerging digital health technologies and artificial intelligence may support early identification of individuals at risk of problematic smartphone use and facilitate personalized intervention strategies. Smartphone-based monitoring systems and digital well-being applications may help users develop healthier technology habits and improve self-regulation. Advances in artificial intelligence may facilitate the development of adaptive and personalized interventions capable of responding to individual patterns of smartphone use and behavioral risk factors in real time.

Although recent longitudinal studies have provided valuable insights into the relationship between problematic smartphone use and mental health outcomes, further prospective research is needed to clarify causal mechanisms and identify factors that may increase vulnerability or resilience to problematic smartphone-related behaviors (Carter et al., 2024). In particular, future studies should investigate the complex interactions between problematic smartphone use, mental health problems, and physical symptoms, which may operate through bidirectional or circular mechanisms rather than simple one-way associations (Reer et al., 2022).

Additionally, collaboration between healthcare professionals, educators, policymakers, and technology companies will be essential to promote responsible smartphone use and create healthier digital environments.

## **Conclusions**

Problematic smartphone use (PSU) has emerged as an increasingly important public health concern in the digital era. The widespread availability of smartphones has provided numerous benefits in communication, education, and access to information; however, excessive and uncontrolled use may result in adverse psychological, physical, and social consequences.

Current evidence suggests that PSU is associated with a broad range of adverse outcomes, including depression, anxiety, sleep disturbances, reduced self-esteem, physical health complaints, impaired academic performance, and difficulties in interpersonal relationships.

The development of PSU appears to be influenced by multiple interacting factors, including intensive social media use, fear of missing out (FOMO), psychological distress, family influences, and persuasive design features incorporated into modern smartphone applications. Understanding these determinants is essential for identifying at-risk individuals and implementing effective preventive measures.

Although various intervention strategies have demonstrated promising results, including digital well-being programs, cognitive behavioral approaches, educational initiatives, and family-based interventions, further research is needed to determine the most effective long-term solutions. Given the growing integration of smartphones into everyday life, completely eliminating smartphone use is neither realistic nor desirable. Instead, efforts should focus on promoting balanced, purposeful, and healthy patterns of digital engagement while minimizing behaviors associated with functional impairment and psychological distress. Continued research and interdisciplinary collaboration will be essential for developing evidence-based strategies that support healthy technology use and improve long-term well-being in an increasingly digital society.

**Author's contribution:****Conceptualization:** Mateusz Skowron, Wiktoria Skowron**Methodology:** Monika Łapot, Krzysztof Hober**Software:** Dominika Krupnik, Patrycja Szewińska**Check:** Mateusz Skowron, Wiktoria Bzdak**Formal analysis:** Joanna Górak, Dominika Krupnik**Investigation:** Wiktoria Bzdak, Wiktoria Skowron, Wojciech Neumann**Resources:** Joanna Górak, Dominika Krupnik**Data curation:** Krzysztof Hober, Wojciech Neumann, Patrycja Szewińska**Writing – rough preparation:** Mateusz Skowron, Joanna Górak, Monika Łapot**Writing – review and editing:** Joanna Górak, Wiktoria Skowron**Visualization:** Wiktoria Bzdak, Wojciech Neumann, Krzysztof Hober**Supervision:** Patrycja Szewińska, Monika Łapot**Project administration:** Mateusz Skowron

All authors have read and agreed with published version of the manuscript.

**Funding:** This research received no external funding.

**Institutional Review Board Statement:** Not applicable. This study is a narrative review based exclusively on previously published literature and did not involve human participants, animals, or identifiable patient data.

**Data Availability Statement:** No new data were created or analyzed in this study. Data sharing is not applicable to this article.

**Acknowledgments:** The authors would like to thank all researchers whose work contributed to the advancement of knowledge regarding problematic smartphone use, digital well-being, and adolescent mental health.

**Conflicts of Interest:** The authors declare no conflict of interest.

**Declaration of Generative AI and AI-Assisted Technologies:** During the preparation of this manuscript, the authors used artificial intelligence-assisted tools solely for language improvement, grammar correction, literature organization, and manuscript structuring. All scientific content, interpretation of data, conclusions, and final editorial decisions were reviewed and approved by the authors, who take full responsibility for the content of this publication.

## REFERENCES

1. Council on Communications and Media. (2016). Media use in school-aged children and adolescents. *Pediatrics*, 138(5), e20162592. <https://doi.org/10.1542/peds.2016-2592>
2. Busch, P. A., & McCarthy, S. (2021). Antecedents and consequences of problematic smartphone use: A systematic literature review of an emerging research area. *Computers in Human Behavior*, 114, 106414. <https://doi.org/10.1016/j.chb.2020.106414>
3. Elhai, J. D., Dvorak, R. D., Levine, J. C., & Hall, B. J. (2017). Problematic smartphone use: A conceptual overview and systematic review of relations with anxiety and depression psychopathology. *Journal of Affective Disorders*, 207, 251–259. <https://doi.org/10.1016/j.jad.2016.08.030>
4. Sohn, S. Y., Rees, P., Wildridge, B., Kalk, N. J., & Carter, B. (2019). Prevalence of problematic smartphone usage and associated mental health outcomes amongst children and young people: A systematic review, meta-analysis and GRADE of the evidence. *BMC Psychiatry*, 19(1), 356. <https://doi.org/10.1186/s12888-019-2350-x>
5. Kwon, M., Lee, J. Y., Won, W. Y., Park, J. W., Min, J. A., Hahn, C., Gu, X., Choi, J. H., & Kim, D. J. (2013). Development and validation of a smartphone addiction scale (SAS). *PLOS ONE*, 8(2), e56936. <https://doi.org/10.1371/journal.pone.0056936>
6. Kwon, M., Kim, D. J., Cho, H., & Yang, S. (2013). The smartphone addiction scale: Development and validation of a short version for adolescents. *PLOS ONE*, 8(12), e83558. <https://doi.org/10.1371/journal.pone.0083558>
7. Montag, C., Wegmann, E., Sariyska, R., Demetrovics, Z., & Brand, M. (2020). How to overcome taxonomical problems in the study of Internet use disorders and what to do with “smartphone addiction”? *Journal of Behavioral Addictions*, 9(4), 908–914. <https://doi.org/10.1556/2006.8.2019.59>
8. Fischer-Grote, L., Kothgassner, O. D., & Felnhofer, A. (2021). The impact of problematic smartphone use on children's and adolescents' quality of life, life satisfaction, and well-being: A systematic review. *Acta Paediatrica*, 110(5), 1417–1424. <https://doi.org/10.1111/apa.15714>

9. Wacks, Y., & Weinstein, A. M. (2021). Excessive smartphone use is associated with health problems in adolescents and young adults. *Frontiers in Psychiatry*, 12, 669042. <https://doi.org/10.3389/fpsyt.2021.669042>
10. Przybylski, A. K., Murayama, K., DeHaan, C. R., & Gladwell, V. (2013). Motivational, emotional, and behavioral correlates of fear of missing out. *Computers in Human Behavior*, 29(4), 1841–1848. <https://doi.org/10.1016/j.chb.2013.02.014>
11. Keles, B., McCrae, N., & Grealish, A. (2020). A systematic review: The influence of social media on depression, anxiety and psychological distress in adolescents. *International Journal of Adolescence and Youth*, 25(1), 79–93. <https://doi.org/10.1080/02673843.2019.1590851>
12. Mougharbel, F., Chaput, J. P., Sampasa-Kanyinga, H., et al. (2023). Longitudinal associations between different types of screen use and depression and anxiety symptoms in adolescents. *Frontiers in Public Health*, 11, 1101594. <https://doi.org/10.3389/fpubh.2023.1101594>
13. Demirci, K., Akgönül, M., & Akpinar, A. (2015). Relationship of smartphone use severity with sleep quality, depression, and anxiety in university students. *Journal of Behavioral Addictions*, 4(2), 85–92. <https://doi.org/10.1556/2006.4.2015.010>
14. Vogel, E. A., Rose, J. P., Roberts, L. R., & Eckles, K. (2014). Social comparison, social media, and self-esteem. *Psychology of Popular Media Culture*, 3(4), 206–222. <https://doi.org/10.1037/ppm0000047>
15. David, D., Giannini, C., Chiarelli, F., & Mohn, A. (2021). Text neck syndrome in children and adolescents. *International Journal of Environmental Research and Public Health*, 18(4), 1565. <https://doi.org/10.3390/ijerph18041565>
16. Reer, F., Wehden, L. O., Janzik, R., & Quandt, T. (2022). Examining the interplay of smartphone use disorder, mental health, and physical symptoms. *Frontiers in Public Health*, 10, 834835. <https://doi.org/10.3389/fpubh.2022.834835>
17. Mayerhofer, D., Rathner, E. M., Kastenhofer, E., et al. (2024). The association between problematic smartphone use, mental health, and physical activity in adolescents and young adults. *Healthcare*, 12(6), 600. <https://doi.org/10.3390/healthcare12060600>
18. Wilmer, H. H., Sherman, L. E., & Chein, J. M. (2017). Smartphones and cognition: A review of research exploring the links between mobile technology habits and cognitive functioning. *Frontiers in Psychology*, 8, 605. <https://doi.org/10.3389/fpsyg.2017.00605>
19. Chotpitayasunondh, V., & Douglas, K. M. (2018). The effects of phubbing on social interaction. *Journal of Applied Social Psychology*, 48(6), 304–316. <https://doi.org/10.1111/jasp.12506>
20. Young, K. S. (2011). CBT-IA: The first treatment model for Internet addiction. *Journal of Cognitive Psychotherapy*, 25(4), 304–312. <https://doi.org/10.1891/0889-8391.25.4.304>
21. Carter, B., Ahmed, N., Cassidy, O., Pearson, O., Calcia, M., Mackie, C., & Kalk, N. J. (2024). ‘There’s more to life than staring at a small screen’: A mixed methods cohort study of problematic smartphone use and the relationship to anxiety, depression and sleep in students aged 13–16 years old in the UK. *BMJ Mental Health*, 27(1), e301115. <https://doi.org/10.1136/bmjment-2024-301115>
22. Paterna, A., Alcaraz-Ibáñez, M., Aguilar-Parra, J. M., Salavera, C., Demetrovics, Z., & Griffiths, M. D. (2024). Problematic smartphone use and academic achievement: A systematic review and meta-analysis. *Journal of Behavioral Addictions*, 13(2), 313–326. <https://doi.org/10.1556/2006.2024.00014>